

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)MAIL STOP - PCT/US
Philippe Corniot)
Application No.: 10/582,081)
Filed: September 6, 2006)
For: TIRE-INFLATION METHOD, AND)
DEVICE AND MACHINE FOR)
IMPLEMENTING THE METHOD)
)
)

**LETTER TRANSMITTING SUBSTITUTE NOTICE
OF REFERENCES CITED (PTO-1449)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

An Information Disclosure Statement and supporting form PTO-1449 was submitted to the U.S. Designated Office on June 8, 2006. It is noted that by a typographical error that the reference citation of WO 94/0398 was misidentified.

It is therefore requested that the attached form PTO-1449 be substituted for that which was originally filed. The International publication can be verified by the related French Search Report which was presented with the filing of June 8, 2006.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: September 6, 2006

By: 
Alan E. Kopecki
Registration No. 25813

P.O. Box 1404
Alexandria, VA 22313-1404
 1737 King Street, Suite 500
Alexandria, VA 22314-2727
703 836 6620

FIRST

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

Attorney

Application
IA Filing Date November 22, 2004
First Named Inventor Philippe CORNIOT
Examiner Name
Attorney Docket No. 1033818-000260

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

NON-PATENT LITERATURE DOCUMENTS

Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.

Examiner Signature	/Dalena Tran/	Date Considered	12/02/2009
--------------------	---------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.